

PUBLIC NOTICE

Opportunity for Public Comment

Environmental Impact Assessment for the Removal of the Eel River Dam

The Department of Environment invites the public to comment on the Environmental Impact Assessment (EIA) Report on the proposal by the Department of Supply and Services regarding the proposed removal of the Eel River Dam.

A public meeting will be held to hear any comments or questions concerning the report and has been scheduled for:

**October 23, 2006 beginning at 7 p.m.
Eel River Bar First Nation Community Building
11 Main St., Unit 201**

Individuals or organizations that wish to make a presentation at the meeting are asked to contact the Department of Environment at 506-453-3700. The public meeting will also provide opportunity for general comments.

*Simultaneous interpretation will be provided at the public meeting.
If you require sign language interpretation or an assistive listening device, please call (506) 859-6101 (TTY).*

Written comments from the public must be forwarded, no later than November 7, 2006, to Project Assessment Branch – Eel River Dam Project; c/o the Department of Environment; P.O. Box 6000 (20 McGloin Street), Fredericton, NB E3B 5H1; Tel: 506-444-5382, Fax: 506-453-2627; Email: EIA-EIE@gnb.ca.

For copies of the Summary of the EIA and the General Review Statement, please contact the Department or visit any of the following locations:

- Department of Environment, 159 Main St., suite 202, Bathurst, NB
- Department of Environment, 20 McGloin St., Marysville Place, Fredericton, NB
- Eel River Bar First Nation, 11 Main St., Unit 201, Eel River Bar First Nation
- Town of Dalhousie, 111 Hall St., Unit 1, Dalhousie, NB
- Village of Balmoral, 1447 Pionniers Ave, Balmoral, NB
- Village of Charlo, 614 Chaleur St., Charlo, NB
- Village of Eel River Crossing, 20 Savoie St., Eel River Crossing, NB

Copies of the complete EIA Report will be available for referencing at the locations noted above. Information is also available online at <http://www.gnb.ca/0009/0377/0002/0010-e.asp>