

DOCUMENT “A”

MINISTER’S DETERMINATION CONDITIONS OF APPROVAL

Pursuant to Regulation 87-83 under the Clean Environment Act
August 21, 2012
File Number: 4561-3-1316

1. In accordance with section 6(6) of the Regulation, it has been determined that the undertaking may proceed following approval under all other applicable acts and regulations.
2. Commencement of this undertaking must occur within three years of the date of this Determination. Should commencement not be possible within this time period the undertaking must be registered under the *Environmental Impact Assessment Regulation* (87-83) – Clean Environment Act again, unless otherwise stated by the Minister of Environment and Local Government.
3. The proponent shall adhere to all obligations, commitments, monitoring and mitigation measures presented in the EIA registration document dated August 8, 2011, as well as all those identified in subsequent correspondence during the registration review. Additionally, the proponent shall submit a summary table detailing the status of each Condition listed in this Determination to the Manager of the Environmental Assessment Section of the Department of Environment and Local Government (DELG) every 6 months from the date of this Determination until such a time as all the Conditions have been met.
4. If it is suspected that remains of archaeological significance are found during construction, as per the Heritage Conservation Act, all activity shall be stopped near the find and the Resource Manager of the Archaeological Services Unit shall be contacted at (506) 453-3014.
5. The *Approval to Operate* for this facility must be modified to incorporate this expansion. For more information, please contact the Manager of the Industrial Processes Section of DELG at (506) 453-7945.
6. A baseline water quality sampling plan for neighbouring private wells must be submitted and must receive approval from the Manager of the Environmental Assessment Section of DELG prior to the start of any activities related to this project. The results of this sampling must be submitted to DELG. For more information, please contact the Manager at (506) 444-5382.
7. If a bird’s nest is found on the project site, all activity surrounding this nest must cease immediately and the Manager of the Environmental Assessment Section of DELG must be contacted immediately at (506) 444-5382. The Canadian Wildlife Service of Environment Canada will subsequently be consulted in order to determine which mitigation measures will have to be put in place in order to avoid impacts to birds, their eggs, their nests, or their young.
8. The proponent must ensure that all developers, contractors, and operators associated with the construction and operation of the project comply with the above requirements.